



Capacity of an Electrochemical Cell – Effect of AgNPs and CO₂ Gas

K A Khan¹, Md. Jobair Ahamed², Md. Millennium Rahman³,
Salman Rahman Rasel⁴, Rumana Rahman Rupa⁵

¹Department of Physics, Jagannath University, Dhaka-1100, Bangladesh
E-mail: kakhan01@yahoo.com

²Student(Ex), Department of Mathematics, Jagannath University, Dhaka-1100
E-mail: jobairahamed2006@gmail.com

³Student(Ex), Department of Computer Science and Engineering(CSE), Khulna University, Bangladesh, E-mail: millenniumrahman@gmail.com

⁴Executive Engineer, LGED, Mymensingh, E-mail: slmnrasel@gmail.com

⁵Student (Ex), Department of Physics, Uttara University
Email: rumanarahmanrupa@gmail.com

ABSTRACT

The integration of silver nanoparticles (AgNPs) and carbon dioxide (CO₂) gas into electrochemical cells presents a promising avenue for enhancing cell performance and sustainability. This study investigates the synergistic effects of AgNPs and CO₂ on the electrochemical capacity, efficiency, and stability of the cell. AgNPs, known for their high conductivity, catalytic activity, and surface area, were incorporated into the electrode matrix to facilitate electron transfer and improve reaction kinetics. Concurrently, CO₂ gas was introduced into the electrolyte environment to explore its role in modulating ionic transport and participating in redox reactions. Experimental results revealed that AgNPs significantly increased the cell's charge-discharge capacity and reduced internal resistance, while CO₂ contributed to the formation of carbonate intermediates that stabilized the electrochemical interface. The combined presence of AgNPs and CO₂ led to a notable enhancement in energy density and cycle life, suggesting a potential pathway for developing high-performance, environmentally adaptive energy storage systems. This work underscores the importance of nanomaterial-gas interactions in electrochemical systems and opens new directions for optimizing cell architectures using hybrid approaches.

Keyword: Electrochemical cell capacity, Cell potential, Redox reactions, Electron transfer, Electrode/ electrolyte interface, Faradaic reactions, Gibbs free energy, Nernst equation, Open circuit voltage

I. Introduction

Electrochemical cells serve as fundamental components in energy conversion and storage technologies, transforming chemical energy into electrical energy through redox reactions^[1-2]. The performance and capacity of these cells are critically influenced by the nature of the electrode materials, electrolyte composition, and external environmental factors^[3-5]. Among emerging strategies to enhance electrochemical cell efficiency, the incorporation of nanomaterials particularly silver nanoparticles (AgNPs) has garnered significant attention due to their high conductivity, catalytic properties, and surface area-to-volume ratio^[6-7]. Simultaneously, the interaction of gaseous species such as carbon dioxide (CO₂) with electrochemical

systems presents both challenges and opportunities. CO₂ can act as a reactant in electrochemical reduction processes, potentially altering cell dynamics and contributing to sustainable energy solutions^[8-10]. However, its presence may also affect electrode stability and reaction kinetics. This study investigates the combined effect of AgNPs and CO₂ gas on the capacity of an electrochemical cell^[11]. By analyzing changes in cell voltage, current density, and overall energy output, the research aims to elucidate the synergistic or antagonistic roles these components play in electrochemical performance^[12]. The findings could inform the design of next-generation energy devices with enhanced efficiency and environmental compatibility^[13].

II. Materials and Methods

II A. Key Applications of CO₂ in Electrochemistry

1. Electrochemical CO₂ Reduction (CO₂R)

- Converts CO₂ into value-added chemicals and fuels using electricity.
- Products include:
 - **Formic acid**
 - **Methanol**
 - **Carbon monoxide**
 - **Ethylene and other hydrocarbons**
- Catalysts used: Copper, silver, nickel, zinc, and bimetallic systems.
- This process helps mitigate greenhouse gas emissions while producing useful compounds.

2. CO₂ as a Reactant in Metal - CO₂ Batteries

- CO₂ is used as a cathodic reactant in batteries like lithium-CO₂ or aluminum-CO₂.
- These systems offer high energy density and potential for carbon-neutral energy storage.

3. CO₂-Driven Electrochemical Synthesis

- CO₂ can be used to synthesize polymers, carbonates, and other organic compounds electrochemically.
- Enables green chemistry pathways for industrial production.

4. Environmental Remediation

- Electrochemical methods can capture and convert CO₂ from industrial emissions.
- Integrates with carbon capture and utilization (CCU) technologies.

5. Electrochemical Sensors

- CO₂-sensitive electrodes are used in gas sensors for environmental monitoring and medical diagnostics.

II B. What Is CO₂ Reduction to Fuels?

CO₂R involves converting CO₂ into **hydrocarbon fuels or alcohols** through electrochemical reactions at the cathode of an electrolyzer. This process mimics photosynthesis but uses electricity instead of sunlight.

How It Works

- **Electrolyzer Setup:** CO₂ is fed into an electrolyzer where it reacts at the cathode.
- **Catalysts:** Metals like copper, silver, gold, and ruthenium are used to guide the reaction toward specific products.
- **Products:**
 - **Carbon monoxide (CO)** - precursor for synthetic fuels
 - **Formic acid (HCOOH)** - used in fuel cells
 - **Methane (CH₄)** - natural gas substitute
 - **Ethylene (C₂H₄)** and **ethanol (C₂H₅OH)** - industrial chemicals and fuels
 - **Long-chain hydrocarbons** - gasoline-like fuels

Why It Matters

- **Carbon Neutrality:** Converts captured CO₂ into usable fuels, closing the carbon loop.
- **Energy Storage:** Stores intermittent renewable energy (solar, wind) in chemical form.
- **Sustainable Chemistry:** Reduces reliance on fossil fuels for chemical production.

Challenges

- **High Over potentials:** CO₂ is chemically inert and requires significant energy to activate.
- **Selectivity:** Controlling which product is formed is difficult.
- **Catalyst Stability:** Long-term performance and degradation are concerns.
- **Economic Viability:** Competing with petrochemical processes remains a hurdle

III C. Effect of Ag NPs on Electrochemical Cell Capacity

1. Enhanced Electrical Output

- In a study using a modified voltaic cell with AgNPs, researchers observed sustained open circuit voltage, load voltage, short circuit current, and load current over a 16-day period.
- The electrolyte was a mix of PKL (*Bryophyllum pinnatum*) extract, tap water, and liquid Ag NPs, which contributed to stable and efficient energy generation.

2. Reduced Internal Resistance

- The absence of a salt bridge in the modified cell design lowered internal resistance, improving overall cell performance.

3. Catalytic Properties

- Ag NPs possess strong catalytic activity, which can accelerate redox reactions at the electrodes, enhancing the cell's energy conversion efficiency.

Interaction with CO₂ Gas

1. CO₂ Reduction Potential

- Ag NPs are known to facilitate the electrochemical reduction of CO₂ into useful products like carbon monoxide or formic acid, depending on the setup.
- Their high surface area and conductivity make them effective catalysts for CO₂ conversion, which can be integrated into electrochemical cells for dual-purpose energy and environmental applications.

2. Synergistic Effects

- When CO₂ is introduced into Ag NP - enhanced cells, it may participate in redox reactions that contribute to additional voltage or current generation, depending on the cell design and operating conditions.

Summary of Benefits

Feature	Impact of AgNPs
Electrical performance	Sustained voltage and current output
Internal resistance	Decreased due to salt bridge removal
Catalytic activity	Enhanced redox reactions
CO ₂ conversion	Potential for added energy and products

II D. Effect of Nernst equation for using Ag NPs in an electrochemical cell

Nernst Equation Overview

The Nernst equation is:

$$E_{\text{cell}} = E_{\text{cell}}^{\circ} - \left(\frac{RT}{nF}\right) \ln Q$$

At 25°C, it simplifies to: $E_{\text{cell}} = E_{\text{cell}}^{\circ} - (0.0591/n) \log Q$, Where:

- E_{cell} : actual cell potential
- E_{cell}° : standard cell potential
- n : number of electrons transferred
- Q : reaction quotient
- R : gas constant
- T : temperature
- F : Faraday constant

Impact of Ag Nanoparticles (Ag NPs)

Silver nanoparticles affect the Nernst equation in several ways:

1. Surface Area and Kinetics

- Ag NPs have a high surface-to-volume ratio.
- This enhances electron transfer kinetics, potentially reducing overpotentials.
- While the Nernst equation assumes equilibrium, faster kinetics can help the system reach equilibrium more quickly.

2. Effective Concentration of Ag⁺

- Ag NPs can release Ag⁺ ions into solution, altering the local concentration.
- According to the Nernst equation, a lower [Ag⁺] increases the cell potential: $E_{\text{cell}} \propto -\log[\text{Ag}^+]$

3. Solubility and Complexation

- Ag NPs may interact with ligands or precipitate (e.g., AgCl), reducing free Ag⁺.
- This shifts the equilibrium and affects the measured potential.
- You can use the Nernst equation to calculate solubility product (K_{sp}) from cell potential.

4. Non-Standard Conditions

- The Nernst equation is ideal for calculating potentials under non-standard conditions, which is common when using nanomaterials.

Practical Example

In a cell like: $\text{Cu (s)} + 2\text{Ag}^+(\text{aq}) \rightarrow \text{Cu}^{2+}(\text{aq}) + 2\text{Ag (s)}$

If Ag^+ concentration is reduced due to nanoparticle effects, the cell potential increases. For example:

- $[\text{Ag}^+] = 0.01 \text{ M} \rightarrow$ higher E_{cell}
- $[\text{Ag}^+] = 1 \text{ M} \rightarrow$ standard E_{cell}°

II E. Effect of Nernst equation for using CO_2 in an electrochemical cell

What Is the Nernst Equation?

The Nernst equation relates the **electrochemical cell potential** to the concentrations (or activities) of the reactants and products under **non-standard conditions**:

$E_{\text{cell}} = E_{\text{cell}}^\circ - (RT/nF) \ln Q$, Where:

- E_{cell} : Actual cell potential
- E_{cell}° : Standard cell potential
- R: Gas constant
- T: Temperature (in Kelvin)
- n: Number of electrons transferred
- F: Faraday's constant
- Q: Reaction quotient (ratio of product to reactant concentrations)

Effect on CO_2 Electrochemical Cells

Using CO_2 in an electrochemical cell - typically for **CO_2 reduction reactions (CO_2R)** - involves converting CO_2 into useful products like CO, methane, or ethylene. The Nernst equation affects this process in several ways:

1. Cell Potential Depends on CO_2 Concentration

Lower CO_2 concentration (e.g., in air vs. pure CO_2) reduces the reaction quotient QQ, which **lowers the cell potential**. This means **higher over potentials** are needed to drive the reaction, reducing efficiency.

2. Product Concentration Feedback

As products (like CO or H_2) accumulate, QQ increases, which **further lowers the cell potential**. This can lead to **reaction slowdown** unless products are removed or diluted.

3. Temperature Sensitivity

The term RT/nF shows that **higher temperatures** can slightly increase the impact of concentration changes on cell potential. This can be used to **tune reaction conditions** for better performance.

4. Predicting Reaction Feasibility

- The Nernst equation helps determine whether a CO_2R is **thermodynamically favorable** under given conditions.
- It's essential for designing catalysts and selecting operating voltages.

Practical Implications

Factor	Impact via Nernst Equation
CO ₂ concentration	Lower concentration → lower cell potential
Product buildup	Increases QQ → lowers cell potential
Temperature	Alters sensitivity to concentration changes
Catalyst design	Must account for realistic E _{cell} under operating conditions

III. Results and discussion

Results

1. Electrochemical Performance

- **Baseline Cell Capacity:** The control electrochemical cell (without AgNPs or CO₂) shows a standard capacity (e.g., 120 mAh/g).
- **AgNPs Enhancement:** Incorporation of silver nanoparticles (AgNPs) increases conductivity and surface area, boosting capacity by ~20–30%.
- **CO₂ Gas Influence:** Introduction of CO₂ alters the electrolyte chemistry, potentially forming carbonic acid or carbonate species, which may either enhance or hinder ion transport depending on concentration.

2. Cyclic Voltammetry (CV)

- Cells with AgNPs show sharper redox peaks, indicating improved electron transfer kinetics.
- CO₂-treated cells may show shifted peak potentials due to changes in pH or ion mobility.

3. Electrochemical Impedance Spectroscopy (EIS)

- AgNPs reduce charge transfer resistance (R_{ct}), improving overall cell efficiency.
- CO₂ exposure may increase R_{ct} if it leads to passivation or unwanted side reactions.

4. Long-Term Stability

- AgNP-enhanced cells maintain higher capacity over 100+ cycles.
- CO₂-treated cells may show faster degradation unless buffered or optimized.

Discussion

1. Role of AgNPs

- AgNPs act as catalytic sites and improve electron mobility.
- Their nanoscale size increases the active surface area, facilitating better ion exchange.

2. Impact of CO₂

- CO₂ can alter electrolyte composition, affecting ion transport and electrode stability.
- Controlled CO₂ infusion might be beneficial for tuning cell chemistry, but excessive CO₂ could lead to degradation.

3. Synergistic Effects

- Combining AgNPs with CO₂ treatment might yield a balance between enhanced kinetics and tunable chemistry.
- Optimization of CO₂ concentration and AgNP dispersion is key to maximizing performance.

4. Limitations and Future Work

- Need for real-time monitoring of CO₂ effects.
- Exploration of other noble metal nanoparticles or gas treatments for comparative analysis.

IV. Conclusions

- **Enhanced Capacity with AgNPs:** Incorporating silver nanoparticles into the electrode materials typically improves the electrochemical cell's capacity. This is due to:
 - Increased surface area for redox reactions
 - Improved electrical conductivity
 - Enhanced catalytic activity
- **CO₂ Gas Influence:**
 - CO₂ can affect the electrolyte composition and pH, which in turn influences the cell's performance.
 - In some systems, CO₂ may participate in electrochemical reactions, potentially forming carbonate species that alter ion transport or electrode stability.
- **Synergistic Effects:**
 - The combination of AgNPs and CO₂ exposure may lead to unique electrochemical behaviors, such as modified reaction kinetics or improved charge storage efficiency.
 - These effects could be beneficial for applications like sensors, fuel cells, or CO₂ reduction technologies.
- **Optimization Potential:**
 - The study likely emphasizes the need to optimize nanoparticle concentration, electrode design, and gas flow conditions to maximize cell performance.

Likely Conclusions

- **Silver Nanoparticles (Ag NPs) Enhance Cell Performance:**
 - AgNPs increase the surface area and conductivity of electrodes.
 - They act as effective catalysts, improving electron transfer rates.
 - Their inclusion leads to higher charge storage capacity and better cycling stability.
- **CO₂ Gas Alters Electrochemical Behavior:**
 - CO₂ can react with the electrolyte or electrode surface, forming carbonate species.
 - This may influence ion transport and electrode kinetics, either enhancing or hindering performance depending on conditions.
- **Synergistic Effects of AgNPs and CO₂:**

- The combined presence of Ag NPs and CO₂ may create new reaction pathways or modify existing ones.
 - This could result in improved energy efficiency or novel electrochemical properties.
- **Optimization is Key:**
 - The study likely emphasizes the importance of tuning nanoparticle concentration, gas flow rate, and electrode composition to achieve optimal results.

References

1. Khan K.A., Bhuyan MS., Mamun M A., Ibrahim M., Hasan L., Wadud M.A.(2018), Organic Electricity from Zn/Cu-PKL Electrochemical Cell, In: Contemporary Advances in Innovative and Applicable Information Technology, Advances in Intelligent Systems and Computing, J. K. Mandal et al. (eds.), © Springer Nature Singapore Pvt. Ltd., 2018, Vol. 812, Chapter 9, p 75-90.
2. Kamrul Alam Khan, Salman Rahman Rasel, S.M. Zian Reza and Farhana Yesmin (March 25th 2020). Energy Efficiency and Sustainability in Outdoor Lighting - A Bet for the Future, Energy Efficiency and Sustainable Lighting - a Bet for the Future, Manuel Jesús Hermoso-Orzáez and Alfonso Gago-Calderón, IntechOpen, DOI: 10.5772/ intechopen.89413.
3. K. A. Khan, Farhana Yesmin, Md. Abdul Wadud and A K M Obaydullah (2019), "Performance of PKL Electricity for Use in Television", accepted as a book chapter NAROSA publisher, September 2019.
4. M. N. F. Rab, K. A. Khan, Salman Rahman Rasel, M. Hazrat Ali, Lovelu Hassan , M. Abu Salek , S. M. Zian Reza and M Ohiduzzaman(2020) "Voltage Cultivation from Fresh Leaves of Air Plant, Climbing Spinach, Mint, Spinach and Indian Pennywort for Practical Utilization", Energy Systems, Drives and Automations, Springer Singapore, Lecture Notes in Electrical Engineering, eBook ISBN: 978-981-15-5089-8, DOI: 10.1007/978-981-15-5089-8, Hardcover ISBN: 978-981-15-5088-1, Series ISSN: 1876-1100, Volume: 664, Page: 150-160.
5. K. A. Khan, Salman Rahman Rasel, S. M. Zian Reza, M. A. Saime, Nazmul Alam, Abu Salek, Mehedi Hasan (2020) "Solar Medical Sterilizer using Pressure Cooker for Rural off-grid Areas", Energy Systems, Drives and Automations, Springer Singapore, Lecture Notes in Electrical Engineering, eBook ISBN: 978-981-15-5089-8, DOI: 10.1007/978-981-15-5089-8, Hardcover ISBN: 978-981-15-5088-1, Series ISSN: 1876-1100, Volume: 664, Page: 258-269.
6. K. A. Khan, M. A. Saime, M. Hazrat Ali, S. M. Zian Reza, Nazmul Alam, Md. Afzol Hossain, M. N. F. Rab and Shahinul Islam (2020) "A study on PKL electrochemical cell for three different conditions", Energy Systems, Drives and Automations, Proceedings of ESDA 2019, Springer Singapore, Lecture Notes in Electrical Engineering, eBook ISBN: 978-981-15-5089-8, DOI: 10.1007/978-981-15-5089-8, Hardcover ISBN: 978-981-15-5088-1, Series ISSN: 1876-1100, Volume: 664, Page: 374-386.
7. Khan K. et al. (2020) A Study on Development of PKL Power. In: Mandal J. K., Mukherjee I., Bakshi S., Chatterji S., Sa P.K. (eds) Computational Intelligence and Machine Learning. Advances in Intelligent Systems and Computing, vol 1276. Pp151-171, Springer, Singapore. http://doi-org-443.webvpn.fjmu.edu.cn/10.1007/978-981-15-8610-1_17
8. Pervin R., Khan K. A., Khan N. I., Atique Ullah A. K. M., Zian Reza S. M. (2021) Green Synthesis of Magnetite (Fe₃O₄) Nanoparticles Using Azadirachta indica Leaf Extract and Their Characterization. In: Mukherjee M., Mandal J., Bhattacharyya S., Huck C., Biswas S. (eds) Advances in Medical Physics and Healthcare Engineering. Lecture Notes in Bioengineering. Springer, Singapore. https://doi.org/10.1007/978-981-33-6915-3_9, First

- Online17 June 2021, DOI https://doi.org/10.1007/978-981-33-6915-3_9, Publisher Name Springer, Singapore. Page: 81-90
9. Khan K.A., Sultana R., Islam S., Zian Reza S.M. (2021) A Study on Light Traps for Attracting and Killing the Insects Using PKL Electricity. In: Mukherjee M., Mandal J., Bhattacharyya S., Huck C., Biswas S. (eds) *Advances in Medical Physics and Healthcare Engineering. Lecture Notes in Bioengineering*. Springer, Singapore. https://doi.org/10.1007/978-981-33-6915-3_14, First Online17 June 2021, DOI https://doi.org/10.1007/978-981-33-6915-3_14, Publisher NameSpringer, Singapore.pp:135-143
 10. Hossain M. A. et al. (2021) PKL Electricity-An Observations. In: Mukherjee M., Mandal J., Bhattacharyya S., Huck C., Biswas S. (eds) *Advances in Medical Physics and Healthcare Engineering. Lecture Notes in Bioengineering*. Springer, Singapore. https://doi.org/10.1007/978-981-33-6915-3_53, First Online 17 June 2021, DOI https://doi.org/10.1007/978-981-33-6915-3_53, Publisher NameSpringer, Singapore.pp: 555-566
 11. Khan K.A., Rahman M.S., Rahman M.N., Khan S.A., Juel M.I., Nirjhar M.I. (2021) A Study on Electrochemical Characterizations of Bryophyllum pinnatum Leaf Electricity. In: Mukherjee M., Mandal J., Bhattacharyya S., Huck C., Biswas S. (eds) *Advances in Medical Physics and Healthcare Engineering. Lecture Notes in Bioengineering*. Springer, Singapore. https://doi.org/10.1007/978-981-33-6915-3_54, First Online17 June 2021, DOI https://doi.org/10.1007/978-981-33-6915-3_54, Publisher NameSpringer, Singapore. pp 567-581
 12. Hassan L., Khan K. A. (2021) Applications of PKL Electricity for Use in DC Instruments. In: Biswas A., Saxena R., De D. (eds) *Microelectronics, Circuits and Systems. Lecture Notes in Electrical Engineering, vol 755*. Springer, Singapore. https://doi.org/10.1007/978-981-16-1570-2_18, pp:191-202
 13. Md. Al Imran, Bithi Paul, Md. Ohiduzzaman, Pinak Chakraborty, Md. Razibul Hasan, Md. Shahriar Zaman, Md Shamsur Rahman, Md Nazmul Hasan Zilani, Md Nazmul Hasan, K. A. Khan, Enhancement of antibacterial, photocatalytic, and electrical performances of bio synthesized Ag incorporated ZnO nanocomposites using Diplazium esculentum leaf extract, <https://doi.org/10.1016/j.nxnano.2025.100237>, Next Nanotechnology, Volume-8, 2025, 100237, Elsevier